

# ANNEXURE

## V

Maharashtra University of Health Sciences, Nashik  
Inspection Committee Report for Academic Year 202-~~6~~-202-~~7~~

Clinical Material in Hospital

Name of College/Institute..... LIFELINE INSTITUTE OF NURSING PANDHARPUR  
Faculty... NURSING

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Parent hospital 100 Bed	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual .....	Less Bed occupancy	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) .....		Adequate
d.	Clinical facilities for PG to be verified:- (As per MSR)	NA	Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	verified OPD = 200 FPD = 15%	Adequate
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Principal**

Lifeline Institute of Nursing  
Dean/Principal Stamp & Signature  
Pandharpur, Dist. Nashik

Date:-

Chairman of LIC

Amalwade  
23/03/26

Member Of LIC

Member Of LIC



स्थापना १३/०३/२०१९

रजि. नं - ई १७३५

सिध्नाथ फाऊंडेशन चॅरिटेबल ट्रस्ट

अध्यक्ष - डॉ. संजय देशमुख

मोबाईल - ९८२२२४१६९८

Establishment - 13/03/2019

Reg.No.- E 1735

SIDDHNATH FOUNDATION CHARITABLE TRUST

Chairman - Dr.Sanjay Deshmukh

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४

Addr - Datta Nagar, Karad Road, Pandharpur 413304

NURSING PERSONNEL

Date: / /202

<u>PARTICULAR</u>	<u>PARENT HOSPITAL</u>
NURSING SUPERINTENDENT	01
SISTER INCHARGE	06
STAFF NURSE	54

OTHER CLINICAL FACILITIES

<u>OTHER CLINICAL FACILITIES</u>		<u>PARENT</u>	<u>AFFILIATED</u>
<u>NO OF OPERATION THEATER</u>	MAJOR	02/DAY	05/DAY
	MINOR	05/DAY	12/DAY
<u>AVERAGE NO OF OPERATION PER MONTH</u>	MAJOR	70/MONTH	140/MONTH
	MINOR	30/MONTH	200/MONTH
<u>AVERAGE PATIENT IN OPD</u>	PER DAY	150/DAY	320/DAY
	PER MONTH	3600/MONTH	6880/MONTH
<u>NO OF DELIVERY</u>	PER DAY	01/DAY	02/DAY
	PER MONTH	30/MONTH	55/MONTH

*Chopada*  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Ally*  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*SLC* *M.S. Jashi*  
**Principal**



Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

## Navjeevan Ragnalay Hospital, Pandharpur

Beds	No. of Staff	Occupancy	
		Day of Inspection	Monthly
Medical	30	78%	79%
Surgical	30	79%	80%
Orthopedic	15	80%	80%
O.B.G.Y.	30	78%	77%
Ophthalmic	3	80%	81%
E.N.T.	2	81%	80%
Pediatric	20	78%	78%
Psychiatric			
Skin	4	80%	81%
Infectious Diseases			
Nephrology	2	76%	78%
Urology	2	78%	80%
Neurology	2	82%	80%
Oncology			
Casualty/ Emergency	5	80%	80%
O.P.D.	5	78%	78%

  
**Dr. Shital K. Shah**  
 M.D., D.C., D.N.B. (Paed.R.)  
 Reg. No. 40909  
 Navjeevan Children's Hospital  
 Behind Sargam Cinema, Pandharpur

  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

  
 Trustee  
  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

Chairman  
 Trustee

**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur



0/1 (78)

# Siddhanath Foundation Charitable Trust's LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra  
Affiliated to: Maharashtra University of Health Science  
Mob. 9730402627 E-mail: [lifelineinstituteofnursing@gmail.com](mailto:lifelineinstituteofnursing@gmail.com)

Add.: Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16/4/25

## CLINICAL FACILITIES

Sr. No.	Name and Address of Hospital Parent/ Affiliated	No. of Beds	No. of Nsg. Staff	No. of Nsg. Programme Affiliated	No. of OPD patients (Daily)	Annual deliveries
1	Lifeline Superspeciality Hospital Pandharpur	100	70		150	70 %
2	Navjeevan Balrugnalaya Pandharpur	90	60		120	-
3	Chiranjeev Hospital Pandharpur CHN	50	35		100	65 %
4	Agraj Hospital Pandharpur	60	40		110	90%
5	Manodaya Hospital Pandharpur MHM	55	30		70	-

*Chopeda*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Al*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

स्थापना १३/०३/२०१९

रजि. नं - ई १७३५

सिध्दनाथ फांऊडेशन चॅरिटेबल ट्रस्ट

अध्यक्ष - डॉ.संजय देशमुख

मोबाईल - ९८२२२४१६९८

Establishment - 13/03/2019

Reg.No.- E 1735

SIDDHNATH FOUNDATION CHARITABLE TRUST

Chairman - Dr.Sanjay Deshmukh

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४

Addr - Datta Nagar, Karad Road, Pandharpur 413304

Date : 16 / 4 / 2025

### Parent Hospital Details

01	Name of the Affiliated hospital	Lifeline Super-specialty Hospital
02	Address	Pandharpur
03	Distance form the Hostel and College	4 KM
04	Total No. of the Bed	100
05	Occupancy of the Day	85 %
06	No. of O.B.G. Beds	04
07	No. of the Other Beds	96
08	No. of Delivery/Day	2/day
09	No. of average/Month/Annual	426/month, 5112/year

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Dr. M. S. Joshi

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur





Siddhanath Foundation Charitable Trust's  
**LIFELINE INSTITUTE OF NURSING**

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra  
Affiliated to: Maharashtra University of Health Science  
Mob. 9730402627 E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16 / 11 / 23

### Parent Hospital Details

Sr No.	Name of affiliated Hospital	Chiranjeev Hospital Pandharpur
1	Address	Pandharpur
2	Distance from the Hostel and College	4.6 KM
3	Total No. of Bed	50
4	Occupancy of Bed	85%
5	No. of O.B.G Bed	05
6	No. of Other Bed	45
7	No. of Delivery/Day	1/Day
8	No. of Average/Month/Annual	45/Month 592/ Year

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Shelke*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur





Siddhanath Foundation Charitable Trust's

# LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra

Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: [lifelineinstituteofnursing@gmail.com](mailto:lifelineinstituteofnursing@gmail.com)

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16/4/25

## Parent Hospital Details

Sr No.	Name of affiliated Hospital	Navjeevan Balrugnalaya Pandharpur
1	Address	Pandharpur
2	Distance from the Hostel and College	4.8 KM
3	Total No. of Bed	90
4	Occupancy of Bed	75%
5	No. of O.B.G Bed	--
6	No. of Other Bed	15
7	No. of Delivery/Day	--
8	No. of Average/Month/Annual	--

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Ali*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur





Siddhanath Foundation Charitable Trust's  
**LIFELINE INSTITUTE OF NURSING**

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra  
Affiliated to: Maharashtra University of Health Science  
E-mail: [lifelineinstituteofnursing@gmail.com](mailto:lifelineinstituteofnursing@gmail.com)  
Mob. 9730402627

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Kortl, Tal. Pandharpur, Dist. Solapur 413304

Date: 16 / 4 / 25

### Parent Hospital Details

Sr No.	Name of affiliated Hospital	Manodaya Hospital Pandharpur
1	Address	Pandharpur
2	Distance from the Hostel and College	4.3 KM
3	Total No. of Bed	50
4	Occupancy of Bed	80%
5	No. of O.B.G Bed	--
6	No. of Other Bed	06
7	No. of Delivery/Day	--
8	No. of Average/Month/Annual	--

*Chopade*  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*DL*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



रजि. नं - ई १७३५

सिध्नाथ फाऊंडेशन चॅरिटेबल ट्रस्ट

अध्यक्ष - डॉ.संजय देशमुख

मोबाईल - ९८२२२४१६९८

SIDDHNATH FOUNDATION CHARITABLE TRUST

Chairman - Dr.Sanjay Deshmukh

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४

Address - Datta Nagar, Karad Road, Pandharpur 413304

## CLASSIFICATION OF BEDS OF ALL HOSPITALS

BEDS	NO.OF SANCTION BEDS	Date <sup>16/4/2025</sup> MONTHLY
Medical	43	77%
Surgical	35	79%
Orthopedic	15	81%
O.B.G.Y.	89	79%
Ophthalmic	03	80%
E.N.T.	02	80%
Pediatric	90	82%
Psychiatric	50	82%
Skin	03	84%
Infectious Diseases	04	87%
Nephrology	03	84%
Urology	02	79%
Neurology	02	80%
Oncology	-	-
Casualty/Emergency	09	81%
Total	<u>350</u>	

*Chopade*  
Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Ali*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*I/C M.S.Toshi*  
Principal  
Lifeline Institute of Nursing  
Korti, Tal. Pandharpur, Dist. Solapur-413304  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



MAHARASHTRA  
JAN 2024

2804 29/01/2024  
Trustee Chairman  
Siddhanath Foundation Charitable Trust  
Pandharpur. तर्फे नवनाथ  
अनन्त मोंदगे

कल

अनन्त मोंदगे

Dr. Manjusha S Deshmukh  
Lifeline Superspeciality Hospital,  
Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Lifeline Superspeciality Hospital, Pandharpur registered under societies registration Act and the Bombay public trusts Act and registered office pandharpur.

Noted and Registered  
29 JAN 2024  
Serial No 195

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Chopade

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKFN Sc

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
- 11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for the ....Nursing programmed as under
  - A) Maharashtra University of Health Science (MUHS)
  - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
  - C) India Nursing Council New Delhi
  - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic data of the required to finish at the time of inspection
- 13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

ORANGE/S.S.I

Date: 06/01/2026

No:- Format1.0/PSO/UAN No.0000266824/CO/2601000435

To,  
Lifeline Superspeciality Hospital  
Plot No 4776/90/91/92, Karad Naka , Datta Nagar , A/p  
- Pandharpur , Tal. - Pandharpur, Dist - Solapur  
413304,  
Email:[lifelinepandharpur@gmail.com](mailto:lifelinepandharpur@gmail.com)  
Contact No.:9822241698




Your Service is Our Duty

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. PSO/UAN NO.0000117922/CR/2107001617 dtd. 30.07.2021.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/11/2025
  3. SRO Solapur report dtd.27.11.2025
  4. SCN for refusal of application dtd. 11.12.2025
  5. Your reply dtd. 22.12.2025 & 30.12.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **18-09-2025 To 17-09-2029**
2. HCF Area : - Plot Area 920.50 M<sup>2</sup> with Built-up area 1104.60 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 329 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 30 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/Day	

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **S S SERVICES Solapur, Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of Rs.50,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Pandharpur*

e97a4caf  
6326647b  
d922423c  
5e7a9509  
411cd7f1  
f6cd871c  
3d3c734d  
530a7336

Signed by: Dr. Vishwajeet Ramesh Thakur  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in  
2026-01-06 13:27:28 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2511003474	19/11/2025	Online Payment
2	104351.00	TXN2512005133	22/12/2025	Online Payment
3	15000.00	TXN2512005234	22/12/2025	Online Payment

**As per the earlier rejected application dated 05.09.2025 (UAN No. 0000255100), the balance consent fee of Rs. 45,000/- is with the Board. Out of this amount, one term fee of Rs.15,000/- has been deducted, and the remaining amount of Rs.30,000/- is being considered with this application. The balance fee of Rs. 15,000/- remain with the Board and will be considered at the time of renewal of the next CCA**

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur  
- You are directed to ensure the compliance of the consent conditions & BG imposed.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur



*Chopade*  
Principal  
Lifeline Institute of Nursing  
Pandharnur, Dist. Solapur

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	29.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	24	As per clause 'C'	Recycle & used for flushing & gardening and remaining send to local body sewer line
2	Trade effluent	0.5	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

*Chopade*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist.Solanur

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 200 KVA	Diesel	25.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	80.00		
		d) Expired or Discarded Medicines	115.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	60.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	200.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur
		b) Metallic body implants	25.00		

*Chogade*  
**Principal**

**Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur**

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S S SERVICES Solapur, Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

*Chopade*  
**Principal**

**Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur**

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To comply the conditions mention in Combined Consent to Operate and BMW Authorization.	Continuous	50,000.00
<b>Total</b>			50,000.00

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**Principal**  
*(Signature)*  
**Lifeline Institute of Nursing**  
**Pandharpur, Dist. Solapur**

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

---

This certificate is digitally & electronically signed.


---



*Chopale*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



196



महाराष्ट्र MAHARASHTRA

2023

82AA 894155

5 JAN 2024  
रजिस्ट्रार अफिसरी, पंढरपूर

354 या 28/09/2022


Trustee Chairman, पंढरपूर  
Siddhanath Foundation Charitable Trust  
Pandharpur, जिल्हा, महाराष्ट्र

11/11/2024  
गवर्नाट  
5/10

₹. 200

011

30  
३०/१२/२०२३  
असल कायदा प्रसंगी  
मुद्रांक विहित परवाना २३  
तहसिल कार्यालय कॅम्पिड बाहेर, पंढरपूर  
परवाना दिल्याची ता ३/७/२०२३



अनाथपालिका

Dr. Sheetal K Shah  
Navjeevan Children Multispeciality Hospital,  
Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Navjeevan Children Multispeciality Hospital,

Chopra  
Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Noted and Registered  
29 JAN 2024  
Serial No. 111

Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of \_\_\_\_\_ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form ..... With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

*Chopra*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. So



6. Clinical area

A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital

7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry

8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.

9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation

10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital

11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for the ....Nursing programmed as under

A) Maharashtra University of Health Science (MUHS)

B) Maharashtra state Board of Nursing & paramedical Education  
Mumbai

C) India Nursing Council New Delhi

D) Government of Maharashtra Mumbai (DR/MEDD)

12. The demographic data of the required to finish at the time of inspection

13. Consideration

For their purpose of making the hospital available for training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is hereby understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

*Chopade*  
**Principal**

**Lifeline Institute of Nursing**

**Pandharpur, Dist. Solapur**



Foundation Charitable Trust, Pandharpur by the cherub drawn in favor of Lifeline Institute, Pandharpur on or before the 10<sup>th</sup> of the every month.

14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.


*HSK*  
Dr. Sheetal K Shah  
Navnjeevan Children Multispeciality Hospital,  
Pandharpur

*Sanjay*  
Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

Signed in witness: *Ajay Ajare*  
Date: *29/01/2024*  
Place: *Pandharpur*

Signature *Ajay A.V.*

Shri. Sheetal K. Shah  
R/o. Pandharpur  
Sign. T.I. before me and identified  
by Shri. Ajay Ajare  
R/o. Pandharpur



*NCL*  
NARAYAN C. LAD  
Advocate & Notary  
R/o. 2484 Darshan Mandap Road,  
Pandharpur-413 304.  
Dist. Solapur (Maha).

Registered  
AN 2024  
196

*Principal*  
Principal  
Lifeline Institute of Nursing  
Pandharpur t. Sola.



"Duplicate"

महाराष्ट्र शासन  
सार्वजनिक आरोग्य विभाग  
जिल्हा शल्य चिकित्सा कार्यालय, सोलापूर

प्रपत्र - सी  
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. शिखार कांतीलाल शहा  
यांचे लवजीवन चिल्ड्रेन अल्टिरेशोशासिटी हॉस्पिटल, पीढरपूर येथील  
नर्सिंग होम/नॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व नॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 25

प्रस्तुतीच्या रुग्णांकरिता देवलेल्या खाटांची संख्या : ००

नोंदणी दिनांक 05/04/2007

इतर रुग्णांकरिता वापरता असलेल्या खाटांची संख्या : ९०

05/04/2007

सर्टिफिकेट दिल्याचा दिनांक : 17/04/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2026 पर्यंत कार्यवाहीत राहिल.

*(Signature)*  
10.4.23  
जिल्हा शल्य चिकित्सा  
तथा जिल्हा नर्सिंग  
अधिकारी

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	पारसून	पर्यंत	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिशेन अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयात कळविणे गरजेचे आहे.
- जन्म मृत्यू नोंद संबंधित नगरपालिकेत वेळेवर कळविणे अनिवार्य बंधनकारक आहे.
- कुटुंब कल्याण (पु./स्त्री) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयात कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडवॉईफस अॅक्ट १९५४ नुसार प्रसिद्ध असलेल्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- वाजगेमेट्रीकल वेस्ट नियम १९९८ क्र. ३२ व ४९/२००६ चे पालन करणे बंधनकारक आहे.

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*(Signature)*  
Chairman  
Siddhanath Foundation Charitable Trust  
Pandharpur


Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKEN

BSPL

Maharashtra Pollution Control Board-Authorised

BSPL & MFC-20



**BIOCLEAR SYSTEMS (INDIA) PVT. LTD.**



**MEMBERSHIP CERTIFICATE**



Registration No. 4585 Certificate No.: 2024 - 0374

Name of Doctor / Director Dr. Shital K. Shah

Name of Institute Navjeevan Children's Multipurpose Hospital

Type of Institute Hospital No. of Bed's 50 (Ninety)

Address / Location 46-7 College Road, Behind Sargam Cinema, Pandharpur, Dist. Solapur

Date of Joining 01/04/2019 Date of Renewal 25/04/2023

Validity From 01/04/2023 To 31/03/2024

Certify that above Doctor & Institute has been joined to Bioclean Systems (India) Pvt. Ltd. CBMWTF for Collection, Transportation, Treatment & Disposal of Bio Medical Waste generated at their institute. An application shall be made by The Occupier / Operator for renewal 30 days before expiry of certificate.

*Signature*

Authorised By

*Signature*

Reviewed By

Prepared By

Office - Plot No. OD-3, Uma Sahakar Grahinman Sanatha Maryudil Solapur, T.P. Scheme No. 4, Final Plot No. 125/2, Jam Hill compound, Aurangji Peth, Solapur - 413 001. Contact No. : (0217) 2721191, 914601191. E mail: [bspl@biocleargroup.com](mailto:bspl@biocleargroup.com)

Corp. Office - NIM Group, R.S.No. 124/38A, 201 & 202, 2nd Floor, Karajgar Chumbursi Opp. Kolharur Enag. Association, Shikoli, Udyanagar, Kolharur (M.S.) - 416 008. Contact : 2231 - 2555800 Email - [corporate@biocleargroup.com](mailto:corporate@biocleargroup.com) Visit Us - [www.biocleargroup.com](http://www.biocleargroup.com)

*Signature*

Chairman

**Principal**  
*Signature*  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psa@mpcb.gov.in](mailto:psa@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Slon Circle,  
Slon (E), Mumbai-400022

RED/S.S.1

No: Format1.0/PSO/UAN No.0000140731/CR/2207000454

Date: 08/07/2022

To,  
Navjeevan Children Hospital  
C. S. No. 4647/2B/6/2, C. S. No. 4647/2B/6/2, College Road,  
Behind Saragam Cinema, Pandharpur,  
Tal. - Pandharpur, Solapur-413304  
Email: [drskshah\\_009@yahoo.com](mailto:drskshah_009@yahoo.com)  
Contact No.: 9822086691



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. HOD-2102000251 dtd 04.02.2021.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/05/2022  
3. SCN for refusal dtd 01.07.2022  
4. Document uploaded on 04.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 21-04-2022 To 21-07-2027
2. The capital investment of the HCF is ₹98.03 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 314.73 M<sup>2</sup> with Built-up area 410.08 M<sup>2</sup>.
4. Activities Included
  - a. Total Number of Beds : 90 Nos. (As per BNH certificate no. 25 valid upto 31-03-2023)
5. Conditions under the Water (P&CP) Act, 1974:-
  1. Quantity of total water consumption shall not exceed 8.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Trustee

Chairman

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm) Pandharpur, Solapur District, Maharashtra  
JQMS.P05\_F02/00

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKEN Scanner

Scanned with OKEN Scanner

2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act, 1981:-**
1. You shall use the fuel for DG set as specified in the Annexure-II.
  2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
  3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr.No.	Type of Waste	HW Category/No.	Quantity	UOM/Disposal
1		NA	As per Actual	--NA-- N/A


8. **Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (Including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste In Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



Trustee  
Siddhanath Foundation Charitable Trust

Chairman

Hazjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000130731 (08-07-2022 05:29:35 pm) /QMS.PO6\_P02/00

Page 2 of 10

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur

Scanned with OKFN Scanner



Scanned with OKEN Scanner

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions Issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per SRO remark dtd 24.06.2022 the hospital has provided a separate storage facility for Bio-Medical Waste and provided an STP . Hence The Bank Guarantee of Rs.25000/- & Rs. 50000/- are eligible to release imposed towards the provision of separate BMW storage facility and To provide STP respectively.
18. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. In specified time shall attract revocation of this CCA without further notice



*[Handwritten Signature]*

11045e04  
b120bd33  
43d99731  
30f2e3c6  
24ab32b4  
670d8ecf  
c1b3957cf  
d72ff10a

Signed by: Dr. Amar R. Surate  
Principal Scientific Officer,  
For and on behalf of  
Maharashtra Pollution Control Board  
prao@mpcb.gov.in  
2022-07-04 17:03:58 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No	Date	Transaction Type
1	25000.00	TXN2206000787	08/06/2022	Online Payment
2	3360.00	TXN2206003296	30/06/2022	Online Payment
3	25000.00	TXN2206001015	09/06/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur  
- - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

*[Handwritten Signature]*  
Trustee  
Siddhanath Foundation Charitable Trust  
Pandharpur.

Chairman

Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur

*[Handwritten Signature]*  
Principal

Lifeline Institute of Nursing  
Pandharpur, Dist.Solapur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sl. No.	Description	Water consumption quantity (CMD)
1	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2	Domestic purpose	8.00
3	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sl. No.	Description	Permitted quantity of discharge (CMD)	Standard to be followed	Disposal
1	Domestic Sewage	7.00	As per clause 'C'	Partially on land for gardening and excess in Municipal sewer line
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sl. No.	Parameter	Discharge Standards applicable (Limit Concentration mg/l except pH)
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, If applicable.

*[Signature]*

Trustee Chairman  
Siddhanath Foundation Charitable Trust

Principal


*[Signature]*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Details (Co)	Fuel type	Quantity	Stack Height (M)
1	D. G. Set (125 KVA)	Diesel	5.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Trustee Chairman  
Siddhanath Foundation Charitable Trust  
Pandharpur.

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Chopode*  
Principal


Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sl. No.	Category	Type/Description	Quantity/No. (Kilograms)	Segregation/Colour/Container	Treatment/Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	10.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body Implants	10.00		

  
Trustee  
Siddhanath Foundation Charitable Trust  
Pandharpur.

Chairman  
Siddhanath Foundation Charitable Trust  
Pandharpur.

**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKEN Scanner



**SCHEDULE-II**

**Responsibilities of the HCE Owner and CTF Operator of the Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility BioClean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, Including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

*[Handwritten Signature]*

Navjeevan Children Hospital/CR/UAH No.MPCB-CONSENT-0000140731 (08-07-2022 09:36 pm)

**Principal** Siddhanath Foundation Charitable Trust

Lifeline Institute of Nursing Pandharpur

Pandharpur, Dist. Solapur

*[Handwritten Signature]*  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur


Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.


Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A Operation and Maintenance</b>			
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achleve prescribed discharge standards	Continuous	25,000.00
<b>1B Records</b>			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


  
 Trustee  
 Sadhanan Foundation Charitable Trust  
 Pandharpur.

Chairman

Nav/Seven Children Hospital/CA/UN N/CPCL-CONSENT-001/2022/105-07-2022/05-09/30/001  
 JQMS.POL.F02/00

  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur


**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

  
 Scanned with OKEN Scanner  
 Lifeline Institute of Nursing  
 Pandharpur Dist. Solapur

**General Conditions**

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.



Chairman

Navjeevan Children Hospital/CN/UA/N/No.MPCB-CONSENT-0000140731 (08-07-2022 05:00:36 pm)  
/QMS.P06\_F02/00

**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Pandharpur

*Chopade*  
**Principal**

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Principal*  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKFN Scan



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW/ CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



Trustee  
Siddhanath Foundation Charitable Trust  
Pandharpur

Chairman

Navjeevan Children Hospital/CRUAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:03:35 pm)  
/QMS.P06\_F02/00

Page 10 of 10

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100



ONE HUNDRED RUPEES

भारत INDIA  
INDIA NON JUDICIAL

MAHARASHTRA  
- 5 JAN 2024  
मुंबई

© 2023 ©

82AA 894156

355 - 25/01/2024

Chairman  
Siddhanath Foundation  
Pandharpur

राफ - नवनाथ  
उकलण कळि  
रा. महात्मा ज्ञान  
महात्मा

Dr. Shrikant K Devkate

Dr. Shrikant K Devkate  
Chiranjeev Hospital,  
Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur


New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Chiranjeev Hospital, Pandharpur registered under societies registration Act and the Bombaay pubic trusts Act and I register Pandharpur.

Noted and Registered  
29 JAN 2024  
Serial No | 194

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur




Scanned with OKEN Scanner

Run and maintain hospital in the Lifeline Institute, Pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education Institute to, Siddhanath Foundation Charitable Trust, Pandharpur of nursing pane. Whereas students of the said Nursing embracing all the specialisation and the branches including nursing institutional required to take specialized training and learning experience in clinical nursing embracing all the specialising and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the said trust has approached Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and maintains the hospital in name of Lifeline Institute, Pandharpur And this hospital is multi-specialty super specialty hospital Having the capacity of \_\_\_\_\_ beds and having all the infrastructure required for the student Of B.Sc Nursing And where the office of The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the Initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective from / provided the foundation gets the recognition of the council from ..... With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundation Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be placed / clinical experience
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year
6. Clinical area

  
**Principal**  
**Lifeline Institute of Nursing**  
**Pandharpur, Dist. Solapur**

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for the ....Nursing, programmed as under as under
- A) Maharashtra University of Health Science (MUHS)
- B) Maharashtra state Board of Nursing & paramedical Education Mumbai
- C) India Nursing Council New Delhi
- D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKFN S

Duplicate



महाराष्ट्र शासन  
सार्वजनिक आरोग्य विभाग  
जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर

प्रमाण - सी  
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम रजिस्ट्रेशन अक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र  
प्रमाणपत्र देण्यात येते की दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अक्ट १९४९ अन्वये,

डॉ. श्री/श्रीमती डॉ. श्रीकांत अशीताभ देवकोटे वेदील  
यांचे चिरंजीव हॉस्पिटल अश्वनी माडा पंढरपूर  
नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 29

प्रतुलीच्या सगणांकरिता : 30

नोंदणी दिनांक 05/04/2007

इतर सगणांकरिता वापरात असलेल्या खाटांची संख्या : 20

5/4/2007

सर्टिफिकेट दिल्याचा दिनांक : 23/03/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2026 पर्यंत कार्यवाहीत राहील.

*(Signature)*  
23.3.23  
जिल्हा शल्य चिकित्सक  
तथा जिल्हा शल्य चिकित्सक

नुवनीकरण दिनांक	नुवनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	मास	पर्यंत	

- १) हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी टिकट अंशा टिकामी लक्षण गरजेचे आहे.
- २) अजिबात सन्धेव दाखल सार्वजनिक सगणांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/प्रांतीय सगणालयास कळविणे गरजेचे आहे.
- ३) जन्म मृत्यू नोंद संबंधित नगरपालिकेला वेळोवेळी कळविणे आवश्यक आहे.
- ४) कुटूंब कल्याण (डू/सी) शालेय आरोग्याशी संबंधित उपजिल्हा/प्रांतीय सगणालयास कळविणे आवश्यक आहे.
- ५) सदरचे कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडिवाईकर्स अॅक्ट हेल्थ डिजीवर्स अॅक्ट १९५४ नुसार प्रशिक्षित असणे आवश्यक आहे.
- ६) बायोमेट्रिकल वेस्ट नियम १९९८ क्र. ३२ व ४९/२००६ चे पालन करणे आवश्यक आहे.

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

238

MAHARASHTRA POLLUTION CONTROL BOARD  
REGIONAL OFFICE - PUNE

Phone : 020-25811827  
Fax : 020-25811761

Email : ropune@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Jog Center, 3<sup>rd</sup> floor, Mumbai Pune Road, S.No. 21/5, F.P.No.28, Wakdevadi, Shivajinagar, Pune - 411003

"Your Service is Our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Rule 7(4)]



- I. File number of authorisation and date of issue  
MPCB/ROP/BMW-AUTH/220/000016 Date 08/01/2022
- II. M/s. CHIRANJEEV HOSPITAL is hereby granted an authorization for generation of biomedical waste on the premises situated, DR. SHRIKANT K. DEOKATE, BHAKTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAL. - PANDHARPUR, DIST - SOLAPUR.
- III. Your Application: MPCB- BMW\_AUTH\_0000033204
- IV. This authorisation shall be in force for a period up to 31.03.2024
- V. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation
- VI. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- VII. No of Bed : 50

*With Shinde*

Terms and Conditions of authorisation

- 1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
- 2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
- 3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.  
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
- 4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
- 5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

MPCB-BMW\_AUTH-0600033799



Page 1 of 5

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Chopade*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OK


Sl. No.	Waste Name	Quantity	Color	Disposal Method
1	Yellow Waste		Yellow	Incineration
2	Sharps Waste		Yellow	Incineration
3	Pathological Waste		Yellow	Incineration
4	Pharmaceutical Waste		Yellow	Incineration
5	Chemical Waste		Yellow	Incineration
6	Biological Waste		Yellow	Incineration
7	Radioactive Waste		Yellow	Incineration
8	Genotoxic Waste		Red	Autoclave followed by shredding
9	Waste Sharps		Blue white translucent	Disinfection (chemical treatment) followed by shredding

No on-site treatment of BMW is permitted. The above mentioned Bio Waste shall be sent to common BMW Treatment & Disposal facility in the form of \_\_\_\_\_ Pvt. Ltd. Solapur

4. The institution shall proper collection of mercury spillage arising due to use of sphygmomanometer, pressure gauges & other equipments used in health care activities as well as the storage shall be in accordance with Hazardous Waste Management & Handling & Transportation Rules, 2018 and retaining it to treatment unit, ensuring that for making necessary steps to ensure that the spilled mercury does not become a part of the Medical Waste or other solid waste generated from Health Care facilities.

5. The liquid waste generated from the treatment activities (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing efficient treatment facility to conform the standards prescribed in Schedule V of the Rules and the Provision, Part (Detection) Act, 1988.

12/07/2024 10:10:00 AM



Page 2 of 3

*Chopade*  
**Principal**

**Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur**

**Principal  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur**

Scanned with C

- (b) The daily quantity of hazardous waste as recorded in
- (c) The daily quantity of sewage effluent as of not less than 100 M<sup>3</sup>
- 9. BMW shall be treated and disposed of in accordance with Schedule I and in compliance with the standards prescribed in Schedule V of old Rules
- 10. (i) BMW shall not be mixed with other wastes, stored, recycled or sold in any form.
- (ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicle Act, 1938 or Rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

11. Standards for waste autoclaving:  
The autoclave should be dedicated for the purpose of disinfecting and treating Bio-Medical Waste.

- (i) When operating a gravity flow autoclave, medical waste shall be subjected to:
  - (i) A temperature of not less than 121 °C and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes;
  - or
  - (ii) A temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
  - or
  - (iii) A temperature of not less than 149 °C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (ii) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pulse vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
  - (i) a temperature of not less than 121 °C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes;
  - or
  - (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes;



MPCB-BMW\_AU11-000003700



*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

(III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reason, time, temperature or pressure indicators that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.

(IV) Recording of operational parameters. Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

(V) Validation test: Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearotherophilus spores on vials or spore strips, with at least  $1 \times 10^8$  spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than  $121^\circ\text{C}$  or a pressure, less than 15 psi.

(VI) Routine Test - A chemical indicator strip tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different locations to ensure that the inner content of the package has been adequately autoclaved.

12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31<sup>st</sup> January every year, including information about the categories and quantities of BMW handled during the preceding year.



13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

14. When any accident occurs at any institution or facility or any other site where BMW is handled, or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

15. The applicant shall submit Bank Guarantees at the Regional Office, M.P.P.C. Board, Pune within 15 days of the date of issue of Authorization. The Bank Guarantee(s) shall be valid up to validity 30.06.2023 of this authorization. The details of Bank Guarantees to be submitted are as below.

MPCB-BMW\_AUTH-0000038799



Page 4 of 5

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
Lifeline Institute of Nursing  
Pandharpur

1. (A)	1. The Maharashtra Pollution Control Board, Mumbai	1. Maharashtra Pollution Control Board, Mumbai
2. (B)	2. The Maharashtra Pollution Control Board, Mumbai	2. Maharashtra Pollution Control Board, Mumbai
3. (C)	3. The Maharashtra Pollution Control Board, Mumbai	3. Maharashtra Pollution Control Board, Mumbai
4. (D)	4. The Maharashtra Pollution Control Board, Mumbai	4. Maharashtra Pollution Control Board, Mumbai
5. (E)	5. The Maharashtra Pollution Control Board, Mumbai	5. Maharashtra Pollution Control Board, Mumbai

17. The Committee will also at the first meeting to be held on 15.07.2021 at 11.00 AM.

18. You shall obtain Separate Consent under Code of Prevention & Control of Pollution Act, 1974 & Air (Prevention & Control of Pollution) Act, 1987.



For and on behalf of  
 Maharashtra Pollution Control Board  
*Nitin Shinde*  
 (Nitin Shinde)  
 Regional Officer, Pune

To,  
 Mr. CHIRANJEY ROSE  
 DR. SHRIKANT K. D. KATE,  
 BHARTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAL. - PANDHARPUR,  
 DIST - SOLAPUR

Sl. No.	Amount (Rs.)	Transaction No.	Date
1	75000	TAX:107002523	28-07-2021

- Copy to:
- 1) San. Regional Officer MPCB - P-1/P-II/PC./Satara/Solapur
  - For Information & with instruction to Monitor the Necessary Compliance of the Condition stipulated in the Letter of Authorization
  - 2) Chief Accounts Officer, MPCB, Mumbai




MPCB/MIA/AUTH-0003026723

Page 5 of 5

**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

*Chopade*  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur


6/137



महाराष्ट्र MAHARASHTRA  
- 5 JAN 2024  
Siddhanath Foundation

2023  
3854 28/10/2022  
Trustee Chairman  
Siddhanath Foundation Charitable Trust, Solapur  
Pandharpur  
पान्धारपूर जिल्हा, सोलापूर जिल्हा

का.स. 3854  
सं. 28/10/2022  
पान्धारपूर जिल्हा, सोलापूर जिल्हा  
पंजीकृत दिनांक 3/07/1994



Dr. Sudesh M Doshi  
Agraj Hospital,  
Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Agraj Hospital, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Noted and Registered  
29 JAN 2024  
Serial No | 197

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundation Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of \_\_\_\_\_ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form ..... With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundation Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
6. Clinical area

*Chopra*

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for the ....Nursing programmed as under
- A) Maharashtra University of Health Science (MUHS)  
B) Maharashtra state Board of Nursing & paramedical Education  
Mumbai  
C) India Nursing Council New Delhi  
D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration  
For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

*Chopade*

**Principal**  
**Lifeline Institute of Nursing**

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Foundation Charitable Trust, Pandharpur by the chequer drawn in favor of Lifeline Institute, Pandharpur on or before the 10<sup>th</sup> of the every month.

14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.


*[Signature]*

Dr. Sudesh M Doshi  
Agraj Hospital,  
Pandharpur

*[Signature]*

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

Signed in witness: *Ajay Ayare*  
Date: *29/09/2025*  
Place: *Pandharpur*




Signature *[Signature]*

Shri. Sudesh M. Doshi  
R/o. Pandharpur  
Signed before me and identified  
by Shri. Ajay Ayare  
R/o. Pandharpur

*[Signature]*

**NARAYAN C. LAD**  
Advovate & Notary  
R/o. 2484 Darshan Mandap Road,  
Pandharpur-413 304.  
Dist. Solapur (Maha).



*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Registered  
AN 2024  
197

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0217-2319850  
Fax: 0217-2319850  
Website: <http://mpcb.gov.in>  
Email: [sosolapur@mpcb.gov.in](mailto:sosolapur@mpcb.gov.in)



4/B, Ball Block, Civil Lines,  
Opposite Government Milk  
Scheme, Sant Rasta,  
Solapur - 413003.

ORANGE/S.S.1  
No: Format1.0/SRO/UAN No.MPCB-  
CONSENT-0000164099/CO/2307000009

Date:  
02/07/2023

To,  
Agraj Hospital,  
CS No. 4776, Plot No 96, Datta Nagar, Karad Road,  
Pandharpur, Dist: Solapur  
-413304  
Email: [sudoshdoshi@yahoo.com](mailto:sudoshdoshi@yahoo.com)  
Contact No.: 9422653953



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/03/2023 with UAN MPCB-CONSENT-0000164099

The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier, under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 28-02-2023 To 31-12-2026
2. The capital investment of the HCF is ₹115.45 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 765.00 M<sup>2</sup> with Built-up area 1222.00 M<sup>2</sup>.
4. Activities Included
  - a. Total Number of Beds : 60 Nos. (As per BNH certificate no. 21 valid upto 31-03-2026)
    - I. General Beds : 4 Nos
    - II. Operation Theatre : 1 Nos
    - III. Maternity Beds : 55 Nos
5. Conditions under the Water (P&CP) Act, 1974:-

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

agraj hospital/CO/UAN No.MPCB-CONSENT-0000164099/Andus-Id.64991 (02-07-2023 12:04:45 pm)  
/QMS.P06\_F02,00

Page 1 of 10

*Chopeda*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Scanned with OKEN Scanner

1. Quantity of total water consumption shall not exceed 2 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage Effluent disposal point and shall maintain monthly records thereof

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II

**7. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

S.No.	Type of Waste	Quantity	Mode of Disposal
			NA

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended
  2. You shall segregate and handover BMW to BMW T&D CTF Bioclean Systems India Pvt. Ltd., Solapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

*Chopade*

Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**  
**Lifeline Institute of Nursing**  
**Pandharpur, Dist. Solapur**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	7.00		
		d) Expired or Discarded Medicines	4.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Metallic body implants	0.00		

*Chopade*  
Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Annexure - II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (80 KVA)	Diesel	15.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

*Chopda*  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sl. No.	Stack/Generator	Fuel Type	Quantity	Stack Height (m)
1	DG Set (80 KVA)	Diesel	15.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

*Chopade*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sl. No.	Category	Waste Type	Quantity	Management	Remarks
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non-chlorinated plastic bags	Bio medical Waste shall be sent to MPCB Authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	7.00		
		d) Expired or Discarded Medicines	4.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Metallic body implants	0.00		

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

**Principal**

**Lifeline Institute of Nursing**  
**Pandharpur, Dist. Solapur**

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Medicon Systems India Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016.
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-clarinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

*Chopade*  
**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance to be submitted by operator.

Sl. No.	Description	Frequency	Amount
1A	Performance		
1	To segregate and Handle BMW as per Rule	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 <sup>st</sup> January	Continuous	15,000.00
2	Operation and Maintenance		
1	To provide S, IP/1 IP and BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			<b>65,000.00</b>

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

*Chopade*  
Principal

Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

## General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

**Principal**

**Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur**

**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

257

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2016.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry

---

This certificate is digitally & electronically signed.

---

**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

*Chopade*

**Principal**  
 Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur

*Lifeline Institute of Nursing  
 Pandharpur, Dist. Solapur*

Kendra, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionalary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of \_\_\_\_\_ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form ..... With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

*Chopade*  
Principal  
Lifeline Institute of Nursing,  
Pandharpur, Dist. Solapur




MAHARASHTRA  
- 5 JAN 2024  
M

2023

82AA 894159

अ नं 38M तारीख 28/01/2024  
Trustee Chairman एम. न. नारायण उपाध्याय  
Siddhanath Foundation Charitable Trust, Pandharpur  
पांडहर्पुर, जिल्हा सोलापूर, महाराष्ट्र  
900



मिल  
अभिप्रेत

Dr. Rujuta Narayan Utpat  
Manoday Hospital, Manorugnalay & Vyasan  
Mukti kendra, Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation  
charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing,  
Pandharpur of the part with Manoday Hospital, Manorugnalay & Vyasan Mukti

Noted and Registered  
29 JAN 2024  
Serial No. 193

Chopade  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

Kendra, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of \_\_\_\_\_ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form ..... With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

*Chopra*  
**Principal**  
Lifeline Institute of  
Pandharpur, Dist. Solapur



6. Clinical area
- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for the ....Nursing programmed as under
- A) Maharashtra University of Health Science (MUHS)
- B) Maharashtra state Board of Nursing & paramedical Education  
Mumbai
- C) India Nursing Council New Delhi
- D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur



Foundation Charitable Trust, Pandharpur by the chequer drawn in favor of Lifeline Institute, Pandharpur on or before the 10<sup>th</sup> of the every month.

14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

*C. Narayan*


*Sanjay*

Dr. Rujuta Narayan Utpat  
Manoday Hospital, Manorugnalay & Vyasan  
Mukti kendra, Pandharpur

Dr Sanjay Deshmukh  
Siddhanath Foundation  
charitable Trust, Pandharpur

Signed in witness: *Ajay Ayare*  
Date: *29/01/2024*  
Place: *Pandharpur*

Signature *Ajay Ayare*





Shri *Bubela Narayan*  
*Utpat* R/o *Pandharpur*  
Sign. before me and identified  
by Shri *Ajay Ayare*  
R/o *Pandharpur*

*NCL*

**NARAYAN C. LAD**  
Advocate & Notary

R/o. 2484 Darshan Mandap Road,  
Pandharpur-413 304.  
Dist. Solapur (Maha).



*Ch...*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur.



Siddhanath Foundation Charitable Trust's  
**LIFELINE INSTITUTE OF NURSING**

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra  
Affiliated to: Maharashtra University of Health Science  
Mob. 9730402627 E-mail: [lifelineinstituteofnursing@gmail.com](mailto:lifelineinstituteofnursing@gmail.com)

Add. Gat No. 671, 672/2/B, Near Sinhad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Ref No. LION/58/2026

Date - 12/03/2026

To,  
The Medical Officer  
Primary Health Centre,  
Gadegaon,

Subject: Request for permission for RPH posting of B.Sc Nursing 3<sup>rd</sup> Year [5<sup>th</sup> Sem ]  
Students.

Respected Sir/Madam,

Our B. Sc Nursing students are required to undergo Rural Public Health (RPH) posting as a part of their academic curriculum. We kindly request you to grant permission for 3<sup>rd</sup> year B.sc nursing [5<sup>th</sup> Semester] students [26] to attend their RPH posting at your Primary Health Centre from 16/03/2026 to 28/03/2026. During this period, the students will conduct community health activities such as health survey, family health assessment, home visits, health education, and participation in various national health programs under the guidance of faculty Miss. Ashwini Pednekar and Miss. Kajal Ghadge.

We assure you that the students will strictly follow the rules and regulations of your health centre and maintain professional conduct throughout the posting. We would be grateful for your support and cooperation in providing this learning opportunity for our students.

Thanking you.

Yours faithfully,

Chopade  
Principal  
Lifeline Institute of Nursing  
Attchment  
Pandharpur, Dist. Solapur

1. Objective of RPH
2. Student List
3. Rotation Plan



Received  
[Signature]  
13/03/2026  
Primary Health Centre, Gadegaon  
Tal. Pandharpur, Dist. Solapur




Chopade  
13/3/26  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

.....

## LIFELINE INSTITUTE OF NURSING, PANDHARPUR

SR.NO	5 <sup>TH</sup> SEMESTER STUDENTS NAME	16/03/2026 TO 20/03/2026	21/03/2026 TO 24/03/2026	25/03/2026 TO 28/03/2026
1	BANSODE PRADNYA SHASHIKANT	SURVEY	RURAL COMMUNITY	PHC
2	BARATE SHWETA BIBHISHAN			
3	CHAFAKARANDE GAURI AABASAHEB			
4	DAHIFALE PRAVIN VISHVANATH			
5	DOLAS RAJRATNA RAMDAS			
6	DONGARE PRERANA RAMESH			
7	EKATPURE PRATIKSHA ASHOK			
8	GITTE TANUJA GOVIND			
9	INGOLE ABHISHEK ARUN	RURAL COMMUNITY	PHC	SURVEY
10	JAHDAV TEJASWINI MAHADEV			
11	KEJGIR KAMLESHWAR RAMESHWAR			
12	KHANDEKAR SHWETA SHANKAR			
13	KHULAPE AMRUTA GANESH			
14	KHUNE PRAJAKTA UMESH			
15	MADANE SHEETAL SUNIL			
16	MALI SUJIT KHANDU	PHC	SURVEY	RURAL COMMUNITY
17	MANE ROHINEE SAMPAT			
18	MUNJE ANJANA SIDRAYA			
19	RATHOD SHIVAM CHHAGAN			
20	SALVE STAVAN SHARAD			
21	SONARE DARSHANA SATISHRAO			
22	SONAWANE ARTI SURESH			
23	WAGHMODE AMRUTA SURESH			
24	YADAV ARATI SANJAY			
25	ZODE SEJAL RAMDAS			
26	TATE ANAND			



*Chopade*  
Principal  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur

## Objectives of RPH

### 1. Understand Rural Health Problems

- 1 To study common health problems and diseases in rural communities.
- 2 To understand factors affecting health such as sanitation, nutrition, and lifestyle.

### 2. Exposure to Community Health Services

- 1 To observe and participate in services provided at **Primary Health Centres (PHC)**, sub-centres, and community health programs.

### 3. Apply Theoretical Knowledge Practically

- 1 To apply classroom knowledge of public health, epidemiology, and preventive medicine in real community settings.

### 4. Develop Community Interaction Skills

- 1 To learn communication skills with rural populations, health workers, and local authorities.

### 5. Health Education and Awareness

- 1 To conduct health education programs on hygiene, nutrition, vaccination, maternal and child health, etc.

### 6. Study National Health Programs

- 1 To observe implementation of government programs like immunization, tuberculosis control, family planning, etc.

### 7. Promote Preventive and Primary Health Care

- 1 To understand the importance of prevention, early diagnosis, and primary health care in rural areas.

### 8. Develop Teamwork and Leadership

- 1 To work with doctors, nurses, ASHA workers, and other health staff as a team.

### 9. Community Survey and Data Collection

- 1 To conduct household surveys and analyze health data for understanding community health status.

### 10. Develop Social Responsibility

- To encourage commitment to serve underserved rural populations.

*Chopade*  
**Principal**  
Lifeline Institute of Nursing  
Pandharpur, Dist. Solapur.

