

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 202-~~6~~-202-~~7~~

Clinical Material in Hospital

Name of College/Institute.....**LIFELINE INSTITUTE OF NURSING PANDHARPUR**
 Faculty.....**NURSING.**

HOSPITAL DETAILS

| Sr. No. | Particulars to be verified | Particular | Adequate/ Inadequate |
|---|--|------------|----------------------|
| 1 | The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site | | <i>Adequate</i> |
| a. | Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site | | <i>Adequate</i> |
| b. | Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual | | <i>Adequate</i> |
| c. | Average Bed Occupancy in % : (Minimum 75%) | | <i>Adequate</i> |
| d. | Clinical facilities for PG to be verified:-(As per MSR) | | <i>Adequate</i> |
| | (i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year) | | <i>Adequate</i> |
| <ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report | | | |

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
 Any Other, Please Specify:-

Principal

Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur
 Dean/Principal Stamp & Signature

Date:-

Chairman of LIC

Member Of LIC

Member Of LIC

स्थापना १३/०३/२०१९

Establishment - 13/03/2019

रजि. नं - ई १७३५

Reg.No.- E 1735

सिध्दनाथ फांऊडेशन चॅरिटेबल ट्रस्ट

SIDDHNATH FOUNDATION CHARITABLE TRUST

अध्यक्ष - डॉ.संजय देशमुख

Chairman - Dr.Sanjay Deshmukh

मोबाईल - ९८२२२४१६९८

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४ Addr - Datta Nagar, Karad Road, Pandharpur 413304

NURSING PERSONNEL

Date: / /202

| <u>PARTICULAR</u> | <u>PARENT HOSPITAL</u> |
|------------------------|------------------------|
| NURSING SUPERINTENDENT | 01 |
| SISTER INCHARGE | 06 |
| STAFF NURSE | 54 |

OTHER CLINICAL FACILITIES

| <u>OTHER CLINICAL FACILITIES</u> | | <u>PARENT</u> | <u>AFFILIATED</u> |
|--|-----------|---------------|-------------------|
| <u>NO OF OPERATION THEATER</u> | MAJOR | 02/DAY | 05/DAY |
| | MINOR | 05/DAY | 12/DAY |
| <u>AVERAGE NO OF OPERATION PER MONTH</u> | MAJOR | 70/MONTH | 140/MONTH |
| | MINOR | 30/MONTH | 200/MONTH |
| <u>AVERAGE PATIENT IN OPD</u> | PER DAY | 150/DAY | 320/DAY |
| | PER MONTH | 3600/MONTH | 6880/MONTH |
| <u>NO OF DELIVERY</u> | PER DAY | 01/DAY | 02/DAY |
| | PER MONTH | 30/MONTH | 55/MONTH |

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Ally
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur


M.S. Joshi
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Navjeevan Rugmalay Hospital, Pandharpur

| Beds | No. of Sanction | Occupancy | |
|-------------------------|-----------------|-------------------|---------|
| | | Day of Inspection | Monthly |
| Medical | 30 | 78% | 79% |
| Surgical | 30 | 79% | 80% |
| Orthopedic | 15 | 80% | 80% |
| O.B.G.Y. | 30 | 78% | 77% |
| Ophthalmic | 3 | 80% | 81% |
| E.N.T. | 2 | 81% | 80% |
| Pediatric | 20 | 78% | 78% |
| Psychiatric | | | |
| Skin | 4 | 80% | 81% |
| Infectious Diseases | | | |
| Nephrology | 2 | 76% | 78% |
| Urology | 2 | 78% | 80% |
| Neurology | 2 | 82% | 80% |
| Oncology | | | |
| Casualty / Emergency | 5 | 80% | 80% |
| O.P.D. | 5 | 78% | 78% |


Dr. Shital K. Shah
 M.D., D.C.H., D.N.B. (Paed.R.)
 Reg No. 40909
 Navjeevan Children's Hospital
 Behind Sargam Cinema, Pandharpur


Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur


 Trustee
 Sridharan Foundation
 Pandharpur
Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

Chairman
 Shale Trust

Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur



Siddhanath Foundation Charitable Trust's

LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra
Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16/4/25

CLINICAL FACILITIES

| Sr. No. | Name and Address of Hospital Parent/ Affiliated | No. of Beds | No. of Nsg. Staff | No. of Nsg. Programme Affiliated | No. of OPD patients (Daily) | Annual deliveries |
|---------|---|-------------|-------------------|----------------------------------|-----------------------------|-------------------|
| 1 | Lifeline Superspeciality Hospital Pandharpur | 100 | 70 | | 150 | 70 % |
| 2 | Navjeevan Balrugnalaya Pandharpur | 90 | 60 | | 120 | - |
| 3 | Chiranjeev Hospital Pandharpur | 50 | 35 | | 100 | 65 % |
| 4 | Agraj Hospital Pandharpur | 60 | 40 | | 110 | 90% |
| 5 | Manodaya Hospital Pandharpur | 55 | 30 | | 70 | - |

Chopeda
Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

All
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

स्थापना १३/०३/२०१९

Establishment - 13/03/2019

रजि. नं - ई १७३५

Reg.No.- E 1735

सिध्दनाथ फांऊडेशन चॅरिटेबल ट्रस्ट

SIDDHNATH FOUNDATION CHARITABLE TRUST

अध्यक्ष - डॉ.संजय देशमुख

Chairman - Dr.Sanjay Deshmukh

मोबाईल - ९८२२२४१६९८

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४

Addr - Datta Nagar, Karad Road, Pandharpur 413304

Date : 16 / 4 / 2025

Parent Hospital Details

| | | |
|----|--------------------------------------|-----------------------------------|
| 01 | Name of the Affiliated hospital | Lifeline Super-specialty Hospital |
| 02 | Address | Pandharpur |
| 03 | Distance form the Hostel and College | 4 KM |
| 04 | Total No. of the Bed | 100 |
| 05 | Occupancy of the Day | 85 % |
| 06 | No. of O.B.G. Beds | 04 |
| 07 | No. of the Other Beds | 96 |
| 08 | No. of Delivery/Day | 2/day |
| 09 | No. of average/Month/Annual | 426/month, 5112/year |

[Signature]
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

[Signature]
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

[Signature]
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur



Siddhanath Foundation Charitable Trust's

LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra
Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16 / 14 / 25

Parent Hospital Details

| Sr No. | Name of affiliated Hospital | Chiranjeev Hospital Pandharpur |
|--------|--------------------------------------|--------------------------------|
| 1 | Address | Pandharpur |
| 2 | Distance from the Hostel and College | 4.6 KM |
| 3 | Total No. of Bed | 50 |
| 4 | Occupancy of Bed | 85% |
| 5 | No. of O.B.G Bed | 05 |
| 6 | No. of Other Bed | 45 |
| 7 | No. of Delivery/Day | 1/Day |
| 8 | No. of Average/Month/Annual | 45/Month 592/ Year |

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Shelke
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Siddhanath Foundation Charitable Trust's

LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra

Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16/4/25

Parent Hospital Details

| Sr No. | Name of affiliated Hospital | Navjeevan Balrugnalaya Pandharpur |
|--------|---|--------------------------------------|
| 1 | Address | Pandharpur |
| 2 | Distance from the Hostel and College | 4.8 KM |
| 3 | Total No. of Bed | 90 |
| 4 | Occupancy of Bed | 75% |
| 5 | No. of O.B.G Bed | -- |
| 6 | No. of Other Bed | 15 |
| 7 | No. of Delivery/Day | -- |
| 8 | No. of Average/Month/Annual | -- |

Chopande
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Ali
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur



(82)

Siddhanath Foundation Charitable Trust's
LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra
Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16 / 4 / 25

Parent Hospital Details

| Sr No. | Name of affiliated Hospital | Manodaya Hospital Pandharpur |
|--------|--------------------------------------|------------------------------|
| 1 | Address | Pandharpur |
| 2 | Distance from the Hostel and College | 4.3 KM |
| 3 | Total No. of Bed | 50 |
| 4 | Occupancy of Bed | 80% |
| 5 | No. of O.B.G Bed | -- |
| 6 | No. of Other Bed | 06 |
| 7 | No. of Delivery/Day | -- |
| 8 | No. of Average/Month/Annual | -- |

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

DLU
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur



Siddhanath Foundation Charitable Trust's

LIFELINE INSTITUTE OF NURSING

Approved by: Indian Nursing Council | Maharashtra Nursing Council | Govt. of Maharashtra
Affiliated to: Maharashtra University of Health Science

Mob. 9730402627

E-mail: lifelineinstituteofnursing@gmail.com

Add. : Gat No. 671, 672/2/B, Near Sinhgad College, Karad Road, Korti, Tal. Pandharpur, Dist. Solapur 413304

Date: 16 / 4 / 25

Parent Hospital Details

| Sr No. | Name of affiliated Hospital | Agraj Hospital Pandharpur |
|--------|--------------------------------------|---------------------------|
| 1 | Address | Pandharpur |
| 2 | Distance from the Hostel and College | 4.2 KM |
| 3 | Total No. of Bed | 60 |
| 4 | Occupancy of Bed | 90% |
| 5 | No. of O.B.G Bed | 50 |
| 6 | No. of Other Bed | 10 |
| 7 | No. of Delivery/Day | 2/Day |
| 8 | No. of Average/Month/Annual | 426/Month 5112/ Year |

Chopade
Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Sheela
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

स्थापना १३/०३/२०१९

Establishment - 13/03/2019

रजि. नं - ई १७३५

Reg.No.- E 1735

सिध्नाथ फाऊंडेशन चॅरिटेबल ट्रस्ट

SIDDHNATH FOUNDATION CHARITABLE TRUST

अध्यक्ष - डॉ.संजय देशमुख

Chairman - Dr.Sanjay Deshmukh

मोबाईल - ९८२२२४९६९८

Mob - 9822241698

पत्ता - दत्त नगर, कराड रोड, पंढरपुर ४१३३०४

Addr - Datta Nagar, Karad Road, Pandharpur 413304

CLASSIFICATION OF BEDS OF ALL HOSPITALS

| <u>BEDS</u> | <u>NO.OF SANCTION BEDS</u> | <u>Date: 16/4/2025</u> <u>MONTHLY</u> |
|---------------------|----------------------------|--|
| Medical | 43 | 77% |
| Surgical | 35 | 79% |
| Orthopedic | 15 | 81% |
| O.B.G.Y. | 89 | 79% |
| Ophthalmic | 03 | 80% |
| E.N.T. | 02 | 80% |
| Pediatric | 90 | 82% |
| Psychiatric | 50 | 82% |
| Skin | 03 | 84% |
| Infectious Diseases | 04 | 87% |
| Nephrology | 03 | 84% |
| Urology | 02 | 79% |
| Neurology | 02 | 80% |
| Oncology | - | - |
| Casualty/Emergency | 09 | 81% |
| Total | <u>350</u> | |

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Aley
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

I/c M.S.Toshi
Principal
Lifeline Institute of Nursing
Korti, Tal. Pandharpur, Dist. Solapur-413304
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur



महाराष्ट्र MAHARASHTRA

2023

82AA 894158


5 JAN 2024
अधिकारी, महाराष्ट्र

Trustee Chairman
Siddhanath Foundation Charitable Trust
Pandharpur.

लक्ष्मी नवनाथ

अकराम मोठे

Dr. Manjusha S. Deshmukh
Lifeline Superspecialty Hospital,
Pandharpur.



Dr. Manjusha S Deshmukh
Lifeline Superspecialty Hospital,
Pandharpur

Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Lifeline Superspecialty Hospital, Pandharpur registered under societies registration Act and the Bombay pubic trusts Act and I registered office pandharpur.

Noted and Registered
29 JAN 2024
Serial No 195

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _____ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
6. Clinical area

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
- 7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
- 8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
- 9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
- 10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
- 11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under
 - A) Maharashtra University of Health Science (MUHS)
 - B) Maharashtra state Board of Nursing & paramedical Education Mumbai
 - C) India Nursing Council New Delhi
 - D) Government of Maharashtra Mumbai (DR/MEDD)
- 12. The demographic data of the required to finish at the time of inspection
- 13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath



Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Foundation Charitable Trust, Pandharpur by the chequer drawn in favor of Lifeline Institute, Pandharpur on or before the 10th of the every month.
14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.


In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.


Dr. Manjusha S Deshmukh
Lifeline Superspeciality Hospital,
Pandharpur


Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur


Signed in witness: Ajay Ayare
Date: 29/01/2024
Place: Pandharpur

Signature 




Shri. Manjusha S. Deshmukh
R/o. Pandharpur
Signed before me and identified
by Shri. Ajay Ayare
R/o. Pandharpur


NARAYAN C. LAD
Advocate & Notary
R/o. 2484 Darshan Mandap Road,
Pandharpur-413 304.
Dist. Solapur (Maha).



Noted and Registered
29 JAN 2024
Serial No 195


Lifeline Institute of Medical
Pandharpur Dist. Solapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 06/01/2026

No:- Format1.0/PSO/UAN No.0000266824/CO/2601000435

To,
Lifeline Superspeciality Hospital
Plot No 4776/90/91/92, Karad Naka , Datta Nagar , A/p
- Pandharpur , Tal. - Pandharpur, Dist - Solapur
413304.
Email:lifelinepandharpur@gmail.com
Contact No.:9822241698




Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. PSO/UAN NO.0000117922/CR/2107001617 dtd. 30.07.2021.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/11/2025
 3. SRO Solapur report dtd.27.11.2025
 4. SCN for refusal of application dtd. 11.12.2025
 5. Your reply dtd. 22.12.2025 & 30.12.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **18-09-2025** To **17-09-2029**
2. HCF Area : - Plot Area 920.50 M² with Built-up area 1104.60 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 329 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 30 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**


Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| Sr No | Type of Waste | HW Category no. | Quantity | UOM | Disposal |
|-------|-------------------|-----------------|----------|--------|----------|
| 1 | Biological Sludge | | 10 | Kg/Day | |

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S S SERVICES Solapur, Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

Chopade

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of Rs.50,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ranjan

e97a4caf
6326647b
d922423c
5e7a9509
411cd7f1
f6cd871c
3d3c734d
530a7336

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2026-01-06 13:27:28 IST

Received Consent/Authorization fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 15000.00 | TXN2511003474 | 19/11/2025 | Online Payment |
| 2 | 104351.00 | TXN2512005133 | 22/12/2025 | Online Payment |
| 3 | 15000.00 | TXN2512005234 | 22/12/2025 | Online Payment |

As per the earlier rejected application dated 05.09.2025 (UAN No. 0000255100), the balance consent fee of Rs. 45,000/- is with the Board. Out of this amount, one term fee of Rs.15,000/- has been deducted, and the remaining amount of Rs.30,000/- is being considered with this application. The balance fee of Rs. 15,000/- remain with the Board and will be considered at the time of renewal of the next CCA

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- You are directed to ensure the compliance of the consent conditions & BG imposed.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur



Chopade
Principal

Lifeline Institute of Nursing
Pandharnur, Dist. Solapur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 29.00 |
| 3. | Pathology Laboratory, Floor washing, Operation Theater | 1.00 |
| 4. | Laundry | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|---------|-----------------|---------------------------------------|--------------------------|---|
| 1 | Domestic Sewage | 24 | As per clause 'C' | Recycle & used for flushing & gardening and remaining send to local body sewer line |
| 2 | Trade effluent | 0.5 | As per clause 'C' | 100% Recycle |

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

| Sr. No. | Parameters | Discharge Standards applicable |
|---------|------------------------|--|
| | | Limiting Concentration in mg/except for pH |
| 1 | pH | 6.5-9.0 |
| 2 | Oil & Grease | 10 |
| 3 | BOD (3 days 27°C) | 30 |
| 4 | COD | 250 |
| 5 | Total Suspended Solids | 100 |
| 6 | Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent |

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (Mtr) |
|----------------|--------------------------|------------------|-----------------|---------------------------|
| 1 | DG set 200 KVA | Diesel | 25.00 Lit/Day | 5.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 100.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 80.00 | | |
| | | d) Expired or Discarded Medicines | 115.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 50.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 60.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 200.00 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur |
| 3 | White (Translucent) | Waste sharps including Metals | 60.00 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur |
| 4 | Blue | a) Glassware | 20.00 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF S S SERVICES Solapur, Solapur Solapur |
| | | b) Metallic body implants | 25.00 | | |

Chogade
Principal

**Lifeline Institute of Nursing
Pandharpur, Dist.Solapur**

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S S SERVICES Solapur, Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|--------------|--|-------------------------------------|------------------------------|
| 1A | Operation and Maintenance | | |
| 1 | To comply the conditions mention in Combined Consent to Operate and BMW Authorization. | Continuous | 50,000.00 |
| Total | | | 50,000.00 |

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

This certificate is digitally & electronically signed.



(Signature)
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

196



महाराष्ट्र MAHARASHTRA

© 2023 ©

82AA 894155

5 JAN 2024
उपस्थानाचार अतिरिक्त, पंधारपुर

3254 या 28/09/2022

Trustee Siddhanath Foundation Charitable Trust
Chairman Pandharpur

तप नवश्रीव
को 800

मूल्य रु. 200 या रुपये वित्त

अपत नवश्रीव फंड
मुंबई विवेका परधाना २१
तहसिल कार्यालय कंपनीड बाहेर, पंधारपुर
परधाना दिव्याची ता ३/७/१९९६



Dr. Sheetal K Shah
Navnjeevan Children Multispeciality Hospital,
Pandharpur

Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Navnjeevan Children Multispeciality Hospital,

Noted and Registered
29 JAN 2024
Serial No. 101

Chapeah
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _____ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. So

6. Clinical area

A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital

7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry

8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.

9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation

10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital

11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under as under

A) Maharashtra University of Health Science (MUHS)

B) Maharashtra state Board of Nursing & paramedical Education
Mumbai

C) India Nursing Council New Delhi

D) Government of Maharashtra Mumbai (DR/MEDD)

12. The demographic data of the required to finish at the time of inspection

13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Chopade
Principal

Lifeline Institute of Nursing

Pandharpur, Dist. Solapur

Pandharpur

Foundation Charitable Trust, Pandharpur by the cherub drawn in favor of Lifeline Institute, Pandharpur on or before the 10th of the every month .
 14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

Handwritten signature

Dr. Sheetal K Shah
 Navjeevan Children Multispeciality Hospital,
 Pandharpur

Handwritten signature

Dr Sanjay Deshmukh
 Siddhanath Foundation
 charitable Trust, Pandharpur

Signed in witness: *Ajay Ajare*
 Date: *29/01/2024*
 Place: *Pandharpur*

Signature *Ajay A.V.*

Shri. Sheetal K. Shah
 R/o. Pandharpur
 Sign/T.I. before me and identified
 by Shri. Ajay Ajare
 R/o. Pandharpur



Handwritten signature of Notary

NARAYAN C. LAD
 Advovate & Notary
 R/o. 2484 Darshan Mandap Road,
 Pandharpur-413 304.
 Dist. Solapur (Maha).



Noted and Registered
 29 JAN 2024
 Serial No. 196

Principal
 Lifeline Institute of Nursing
 Pandharpur, Solapur



सत्यमेव जयते

गहाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर

"Duplicate"

प्रपत्र - सी
(नियम ५ अन्वये)

वांम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि वांम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. शिवाजी कांतीबाबू शाहा,
वांचे जवळीक व चिल्ड्रेन अल्टीस्पेशलिटी हॉस्पिटल, पीढरपूर येथील
नर्सिंग होम/नॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व नॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 25 प्रसुतीच्या रुग्णांकरिता : ००
देवलेल्या खाटांची संख्या
नोंदणी दिनांक 05/04/2007 इतर रुग्णांकरिता वापरात : १०
असलेल्या खाटांची संख्या

05/04/2007

सर्टिफिकेट दिल्याचा दिनांक : 17/04/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2016 पर्यंत कार्यवाहीत राहिल.

19.4.23
प्रमुख प्रत्येकीकृतक
तथा जिल्हा शल्य चिकित्सक

| नुतनीकरण दिनांक | नुतनीकरण कालावधी | | जि.श.चि. स्वाक्षरी |
|-----------------|------------------|--------|--------------------|
| | पासून | पर्यंत | |
| | | | |
| | | | |
| | | | |
| | | | |

- १) हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- २) आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- ३) जन्म मृत्यू नोंद संबंधित नगरपालिकेत वेळेवर कळविणे आवश्यक आहे.
- ४) कुटुंब कल्याण (पु./स्त्री) शस्त्रक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे आवश्यक आहे.
- ५) संस्थेत कार्यरत नर्सिंग स्टाफ वांम्बे नर्सिंग मिडवाईफ्स अॅन्ड हेल्थ विजिटीअर्स अॅक्ट १९५४ नुसार प्रतिसूचित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- ६) बायोमेट्रीकल वेस्ट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे आवश्यक आहे.

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur




Chaitanyam
Siddhanand Foundation Charitable Trust
Pandharpur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

BSPL AND MAFRA

Maharashtra Pollution Control Board-Authorised

BIOCLEAN SYSTEMS (INDIA) PVT. LTD.



MEMBERSHIP CERTIFICATE



Registration No. : 4586 Certificate No. : 2024 - 0374
 Name Of Doctor / Director : Dr. Shital K. Shah
 Name Of Institute : Navjeevan Children's Multispeciality Hospital
 Type Of Institute : Hospital No. of Bed's : 50 (Ninety)
 Address / Location : 4647 College Road, Behind Sargam Cinema, Pandharpur, Dist. Solapur
 Date Of Joining : 01/04/2019 Date of Renewal : 25/04/2023
 Validity From : 01/04/2023 To : 31/03/2024

Certify that above Doctor & Institute has been joined to "Bioclean Systems (India) Pvt. Ltd." CBMWTF for Collection, Transportation, Treatment & Disposal of Bio Medical Waste generated at there institute. An application shall be made by The Occupier / Operator for renewal 30 days before expiry of certificate.

Prepared By: *[Signature]*
 Reviewed By: *[Signature]*
 Authorised By: *[Signature]*

Office - Plot No. OD-3, Lime Sahakar Gruhnikman Sansha Maryadi Solapur, T.P. Scheme No. 4, Final Plot No. 125/2, Juni Mill compound, Aurang Peth, Solapur - 413 001. Contact No. : (0217) 2721191, 9146011191. E mail : bsppl@bingroup.co.in
 Corp. Office - Nil Group, R.S.No. 174/3/36A, 201 & 202, 2nd Floor, Karagar Chambers, Opp. Kolkatar Engg. Association, Shivaji Usyaminagar, Kolhapur (Mf) - 416 006. Contact : 2231 - 2535800 Email - corporate@bingroup.co.in. Visit Us - www.bingroup.co.in

[Signature] Chairman
[Signature] Pandharpur

Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Slon Circle,
Slon (E), Mumbai-400022

RED/S.S.I

Date: 08/07/2022

No:- Format1.0/PSO/UAN No.0000140731/CR/2207000454

To,
Navjeevan Children Hospital
C. S. No. 4647/2B/6/2, C. S. No. 4647/2B/6/2, College Road,
Behind Saragam Cinema, Pandharpur,
Tal. - Pandharpur, Solapur-413304
Email: drskshah_009@yahoo.com
Contact No.: 9822086691



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. HOD-2102000251 dtd 04.02.2021.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/05/2022
3. SCN for refusal dtd 01.07.2022
4. Document uploaded on 04.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 21-04-2022 To 21-07-2027
2. The capital investment of the HCF is ₹98.03 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 314.73 M² with Built-up area 410.08 M².
4. **Activities Included**
 - a. Total Number of Beds : 90 Nos. (As per BNH certificate no. 25 valid upto 31-03-2023)
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 8.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.


Trustee

Chairman

Navjeevan Children Hospital/CR/UAN No.MPCB-CONSENT-0000140731 (08-07-2022 05:08:36 pm)

Pandharpur.

Page 1 of 10

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur


Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water Intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

| Sr No. | Type of Waste | HW Category/ no. | Quantity | UOM | Disposal |
|--------|---------------|------------------|---------------|--------|----------|
| 1 | | NA | As per Actual | --NA-- | NA |

8. **Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **BioClean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (Including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste In Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



Trustee Chairman
Siddhanath Foundation Charitable Trust

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the IICE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per SRO remark dtd 24.06.2022 the hospital has provided a separate storage facility for Bio-Medical Waste and provided an STP . Hence The Bank Guarantee of Rs.25000/- & Rs. 50000/- are eligible to release imposed towards the provision of separate BMW storage facility and To provide STP respectively.
18. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. In specified time shall attract revocation of this CCA without further notice



[Handwritten Signature]

1845e84
0f20bd33
43d99731
30f2e3e6
24ab32b4
670d8ecf
cbb997cf
d72ffd0a

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psobmpcb.gov.in
2022-07-08 17:08:58 IST

Received Consent/Authorization fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 25000.00 | TXN2206000787 | 08/06/2022 | Online Payment |
| 2 | 3360.00 | TXN2206003296 | 30/06/2022 | Online Payment |
| 3 | 25000.00 | TXN2206001015 | 09/06/2022 | Online Payment |

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten Signature]
Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

Chairman

[Handwritten Signature]
Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

[Handwritten Signature]
Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sl. No. | Description | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 0.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sl. No. | Description | Permitted quantity of discharge (CMD) | Generation/Carried | Disposal |
|---------|-----------------|---------------------------------------|--------------------|--|
| 1 | Domestic Sewage | 7.00 | As per clause 'C' | Partially on land for gardening and excess in Municipal sewer line |
| 2 | Trade effluent | 0 | As per clause 'C' | NA |

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

| Sl. No. | Parameter | Discharge Standards applicable Limiting concentration in mg/l except for pH |
|---------|------------------------|--|
| 1 | pH | 6.5-9.0 |
| 2 | Oil & Grease | 10 |
| 3 | BOD (3 days 27°C) | 30 |
| 4 | COD | 250 |
| 5 | Total Suspended Solids | 100 |
| 6 | Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent |

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, If applicable.



Trustee Chairman
Siddhanath Foundation Charitable Trust

Pandharpur
Principal



Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel type | Quantity | Stack Height (Mtr) |
|---------|---------------------|-----------|-------------|--------------------|
| 1 | D. G. Set (125 KVA) | Diesel | 5.00 Ltr/Hr | 5.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

Chairman

Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Chopade
Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) In waste categories and quantities listed here in below:

| Sr No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour Coding | Treatment & Disposal |
|-------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 80.00 | Yellow coloured non-chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 40.00 | | |
| | | d) Expired or Discarded Medicines | 10.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 20.00 | Yellow coloured non-chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 20.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 150.00 | Red coloured non-chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| 3 | White (Translucent) | Waste sharps including Metals | 20.00 | Puncture proof, Leak proof, tamper proof container. | |
| 4 | Blue | a) Glassware | 10.00 | Cardboard boxes with Blue coloured marking. | |
| | | b) Metallic body Implants | 10.00 | | |



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

Chairman

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur


Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Bioclean Systems India Pvt. Ltd., Solapur and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Navjeevan Children Hospital/CRA/UAH No.MPCB-CONSENT-0800140731 (08-07-2022 03:36 pm)

Page 7 of 10

Principal Siddhanath Foundation Charitable Trust

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade
Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur


SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity/Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|--------------|--|------------------------------|-----------------------|
| 1A | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per Schedule I | Continuous | 25,000.00 |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | 25,000.00 |
| 1B | Records | | |
| 1 | To Maintain records of BMW and submission of Annual Report for preceding calendar year In Form -IV before 30th June every year | Continuous | 15,000.00 |
| 2 | To maintain records of BMW handed over to CBMWTFD | Continuous | 10,000.00 |
| Total | | | 75,000.00 |

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur.

Chairman

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Chairman

Navjeevan Children Hospital/CIV/UAH No.MPCB-CONSENT-0000140731(08-07-2022 05:00:36 pm)

Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Siddhanath Foundation, Chhatrapati
Pandharpur

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An Inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW/ CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



Trustee
Siddhanath Foundation Charitable Trust
Pandharpur

Chairman

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur


Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

₹. 100



ONE HUNDRED RUPEES

भारत INDIA INDIA NON JUDICIAL

MAHARASHTRA

© 2023 ©

82AA 894156

MAHARASHTRA
- 5 JAN 2024
पंढरपुर अधिवेशन

355 28/10/2022

Chairman
Siddhanath Foundation Charitable Trust
Pandharpur

राजीव - गोवनात्र
उकलण कांडी
डा. मंगेशी का
मोहरिल

Dr. Shrikant K Devkate
Chiranjeev Hospital,
Pandharpur

Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur


New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Chiranjeev Hospital, Pandharpur registered under societies registration Act and the Bombaay pubic trusts Act and I register Pandharpur.

Noted and Registered
29 JAN 2024
Serial No 194

Principal
Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur



Run and maintain hospital in the Lifeline Institute, Pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education Institute to, Siddhanath Foundation Charitable Trust, Pandharpur of nursing pane. Whereas students of the said Nursing embracing all the specialisation and the branches including nursing institutional required to take specialized training and learning experience in clinical nursing embracing all the specialising and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the said trust has approached Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and maintains the hospital in name of Lifeline Institute, Pandharpur And this hospital is multi-specialty super specialty hospital Having the capacity of _____ beds and having all the infrastructure required for the student Of B.Sc Nursing And where the office of The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is executed on the initially for the period of 30 years from the date of commencement of which may be extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective from / / provided the foundation gets the recognition of the council from With a period of six months from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundation Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be placed /clinical experience
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year
6. Clinical area


Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under as under
- A) Maharashtra University of Health Science (MUHS)
- B) Maharashtra state Board of Nursing & paramedical Education Mumbai
- C) India Nursing Council New Delhi
- D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chapede
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur





सत्यमेव जयते

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्साक कार्यालय, सोलापूर

Duplicate

प्रपत्र - सी

(नियम ५ अन्वये)

बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट १९४९ अन्वये.

डॉ. श्री/श्रीमती डॉ. श्रीकांत कशीनाथ देवकते येथील
 यांचे चिरंजीव हॉस्पिटल अस्पती मंगी पंढरपूर
 नर्सिंग होम/मॅटर्निटी होम रजिस्ट्रर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 29

प्रसूतीच्या रुग्णांकरिता : 30
देवलेल्या खाटांची संख्या

नोंदणी दिनांक 05/04/2007

इतर रुग्णांकरिता वापरतात : 20
असलेल्या खाटांची संख्या

5/4/2007

सर्टिफिकेट दिल्याचा दिनांक : 23/03/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2026 पर्यंत कार्यवाहीत राहील.

जिल्हा शल्य चिकित्साक
तथा जिल्हा शल्य चिकित्साक

| नुतनीकरण दिनांक | नुतनीकरण कालावधी | | जि.श.चि. स्वाक्षरी |
|-----------------|------------------|--------|--------------------|
| | पातळ | पर्यंत | |
| | | | |
| | | | |
| | | | |
| | | | |

- १) हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- २) अनात्म, संसृष्ट, वाचल संसर्गित, रुग्णांची माहिती, (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- ३) जन्म मृत्यू नोंद संबंधित नगरपालिकात वेळोवेळी अपत्यावर बंधनकारक आहे.
- ४) इतर कल्याण (सु/सी) शल्यक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- ५) संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडवॉर्कस अॅक्ट हेल्थ स्टिडींट्स अॅक्ट १९५४ नुसार प्रशिक्षित असणे गरजेचे आहे.
- ६) बायोमेट्रिक वेस्ट नियम १९९८ क्र. ३२, व ४९/२००६ चे पालन करणे बंधनकारक आहे.

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal

Lifeline Institute of Nursing,
Pandharpur, Dist. Solapur

238

MAHARASHTRA POLLUTION CONTROL BOARD REGIONAL OFFICE - PUNE

Phone : 020-25811627
Fax : 020-25811701
Email : ropune@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Jog Center, 3rd floor, Mumbai Pune Road, S.No. 21/5, F.P.No.28, Wakdevadi, Shivajinagar, Pune - 411003

"Your Service is Our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Storage, Disposal of Bio-Medical Wastes under Rule 7(4)]


- I. File number of authorisation and date of issue
MPCB/ROP/BMW-AUTH/220/000016 Date 03/01/2021
- II. M/s. CHIRANJEEV HOSPITAL is hereby granted an authorization for generation of biomedical waste on the premises situated, DR. SHRIKANT K. DEOKATE, BHAKTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAL - PANDHARPUR, DIST - SOLAPUR.
- III. Your Application: MPCB- BMW_AUTHI-0000086204
- IV. This authorisation shall be in force for a period up to 31.03.2021
- V. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation
- VI. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- VII. No of Bed : 50

With Shinde

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

MPCB-BMW_AUTHI-0000038799



Page 1 of 5

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

- (b) The daily quantity of bio-waste shall not exceed 100 kg.
- (c) The daily quantity of bio-waste shall not exceed 4.0 M³.
9. BMW shall be treated and disposed of in accordance with Schedule I, and in compliance with the standards prescribed in Schedule V, of said Rules.
10. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule II, prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicle Act, 1938 or Rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

11. Standards for waste autoclaving:

The autoclave should be dedicated for the purpose of disinfecting and treating Bio-Medical Waste.

(i) When operating a gravity flow autoclave, medical waste shall be subjected to:


- (i) A temperature of not less than 121 °C and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes;
- or
- (ii) A temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
- or
- (iii) A temperature of not less than 149 °C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(ii) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:

- (i) a temperature of not less than 121 °C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes;
- or
- (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or



MPCB BMW_AUTH-000003700



Page 3 of 5


Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

- (iii) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (iv) Recording of operational parameters. Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (v) Validation test: Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spore forming vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (vi) Routine Test. - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

- 12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year, including information about the categories and quantities of BMW handled during the preceding year.
- 13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
- 14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
- 15. The applicant shall submit Bank Guarantees at the Regional Office, M.P.P.C. Board, Pune within 15 days of the date of issue of Authorization. The Bank Guarantee(s) shall be valid up to validity 30.06.2023 of this authorization. The details of Bank Guarantees to be submitted are as below.

MFCB-BMW_AUTH-0000038799



Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur

242

| S. No. | Description | Frequency | Amount |
|--------|--|------------|----------|
| I (A) | Operation and Maintenance To Separate and Handle BMW as per Rule | Continuous | 25,000/- |
| II (B) | Records To Maintain records of BMW, generation, transportation, treatment & disposal and submission of Annual Report in Form 4B before 31 st January every year | Continuous | 15,000/- |
| III | Performance | | |
| 1 | To provide Separate BMW storage facility As per guidelines of CPCB | Six | 25,000/- |
| 2 | Towards Operation & Maintenance of pollution control system | Continuous | |
| 3 | Effluent Treatment Plant Not provided | Six | 25,000/- |

- 17. The Occupier will obey all the lawful instructions issued by the Inspectors from time to time.
- 18. You Shall Obtain Separate Consent under water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981



For and on behalf of the
 Maharashtra Pollution Control Board
Nitin Shinde
 (Nitin Shinde)
 Regional Officer, Pune

To,
 M/s. CHIRANJEEV HOSPITAL,
 DR. SHRIKANT K. DEORATE,
 BHAKTI MARG, NEAR BLOOD BANK, PANDHARPUR, TAL. - PANDHARPUR,
 DIST - SOLAPUR

Authorisation Fee Received:-

| Sr. No. | Amount (Rs.) | Transaction No. | Date |
|---------|--------------|-----------------|------------|
| 1 | 75000/- | TXN2107002823 | 28-07-2021 |

- Copy to:
- 1) Sub-Regional Officer: MPCB - P-1/P-II/P.C./Satara/Solapur
 For information & with instruction to Monitor the Necessary Compliance of the Condition stipulated in the Letter of Authorization
 - 2) Chief Accounts Officer, MPCB, Mumbai



MPCB/BMW_AUTH-0001009703

Page 04 of 5

Chopade
Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

(5) 137




महाराष्ट्र MAHARASHTRA
- 5 JAN 2024
Siddhanath Foundation Charitable Trust
Pandharpur

2023
385 28/09/2023
Trustee Chairman
Siddhanath Foundation Charitable Trust
Pandharpur
पंढरपुर, जिल्हा सोलापूर, महाराष्ट्र

82AA 894157

कास
सदस्य
व्यक्तिगत कार्यालय
पंढरपुर, जिल्हा सोलापूर, महाराष्ट्र



Dr. Sudesh M Doshi
Agraj Hospital,
Pandharpur

Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing, Pandharpur of the part with Agraj Hospital, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Noted and Registered
29 JAN 2024
Serial No 197

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _____ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year
6. Clinical area

Chopade

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consolation which the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under as under
- A) Maharashtra University of Health Science (MUHS)
B) Maharashtra state Board of Nursing & paramedical Education
Mumbai
C) India Nursing Council New Delhi
D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration

For their purpose of making the hospital available of training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath

Chopode

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Foundation Charitable Trust, Pandharpur by the cherub drawn in favor of Lifeline Institute, Pandharpur on or before the 10th of the every month.

14. Termination :-

In case this MOU is not viable to the parties here to for any reasons what so ever the party shall have liberty to terminate this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of Pandharpur court.



Dr. Sudesh M Doshi
Agraj Hospital,
Pandharpur




Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

Signed in witness: Ajay Awar
Date: 24/01/2023
Place: Pandharpur



Signature 

Shri. Sudesh M. Doshi
R/o. Pandharpur
Signed before me and identified
by Shri. Ajay Awar
R/o. Pandharpur





NARAYAN C. LAD
Advocate & Notary
R/o. 2484 Darshan Mandap Road,
Pandharpur-413 304.
Dist. Solapur (Maha).




Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0217-2319850
Fax: 0217-2319850
Website: <http://mpcb.gov.in>
Email: srosolapur@mpcb.gov.in



4/B, Ball Block, Civil Lines,
Opposite Government Milk
Scheme, Saat Rasta,
Solapur - 413003.

ORANGE/S.S.1
No:- Format1.0/SRO/UAN No.MPCB-
CONSENT-0000164099/CO/2307000009

Date:
02/07/2023

To,
Agraj Hosplta,
CS No. 4776, Plot No 96, Datta Nagar, Karad Road,
Pandharpur, Dist: Solapur
-413304
Email:sudoshdoshi@yahoo.com
Contact No.:9422653953



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/03/2023 with UAN MPCB-CONSENT-0000164099

The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier, under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 28-02-2023 To 31-12-2026
2. The capital investment of the HCF is ₹115.45 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 765.00 M² with Built-up area 1222.00 M².
4. Activities Included
 - a. Total Number of Beds : 60 Nos. (As per BNH certificate no. 21 valid upto 31-03-2026)
 - I. General Beds : 4 Nos
 - II. Operation Theatre : 1 Nos
 - III. Maternity Beds : 55 Nos
5. Conditions under the Water (P&CP) Act, 1974:-

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| S.No | Type of Waste | Quantity | Unit | Disposal |
|------|---------------|----------|------|----------|
| | | | | NA |

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended
 2. You shall segregate and handover BMW to BMW T&D CTF Bioclean Systems India Pvt. Ltd., Solapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2005 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

Chopade
Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|---|
| 1 | Yellow | a) Human Anatomical waste | 5.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 7.00 | | |
| | | d) Expired or Discarded Medicines | 4.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 3.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 0.00 | Autoclave safe plastic bags or containers. | Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration. |
| 2 | Red | Contaminated waste (Recyclable) | 5.00 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| 3 | White (Translucent) | Waste sharps including Metals | 3.00 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| 4 | Blue | a) Glassware | 1.00 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| | | b) Metallic body implants | 0.00 | | |

Chopade
Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Annexure - II**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (Mtr) |
|---------|-------------------|-----------|--------------|--------------------|
| 1 | DG Set (80 KVA) | Diesel | 15.00 Ltr/Hr | 3.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Chopade
Principal
 Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur

25

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016; (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (M) |
|---------|-------------------|-----------|--------------|------------------|
| 1 | DG Set (80 KVA) | Diesel | 15.00 Ltr/Hr | 3.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

25

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No. | Category | Type of Waste | Quantity (kg/mt) | Segregation (color/label) | Treatment/Disposal |
|---------|---------------------|---|------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 5.00 | Yellow coloured non-chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 7.00 | | |
| | | d) Expired or Discarded Medicines | 4.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 3.00 | Yellow coloured non-chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 0.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 5.00 | Red coloured non-chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| 3 | White (Translucent) | Waste sharps including Metals | 3.00 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| 4 | Blue | a) Glassware | 1.00 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur |
| | | b) Metallic body implants | 0.00 | | |

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

253

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bloclean Systems India Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Chopade
Principal

Lifeline Institute of Nursing
Pandharpur, Dist.Solapur

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be provided by operator.

| Sl. No. | Description | Frequency | Amount (₹) |
|------------------------------------|---|------------|------------------|
| IA Performance | | | |
| 1 | To Segregate and Handle BMW as per Rule | Continuous | 25,000.00 |
| II Records | | | |
| 1 | To Maintain records of BMW and submission of Annual Report in Form-II before 31st January | Continuous | 15,000.00 |
| 2 Operation and Maintenance | | | |
| 1 | To provide SHWEP and BMW separate storage facility as per guidelines of CPCB | Continuous | 25,000.00 |
| Total | | | 65,000.00 |

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


Principal **Principal**
 Lifeline Institute of Nursing Lifeline Institute of Nursing
 Pandharpur, Dist. Solapur Pandharpur, Dist. Solapur

253

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

Principal

Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

256

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Chopade

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Kendra, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _____ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

Chopali
Principal
Lifeline Institute of Nursing.
Pandharpur, Dist. Solapur

193



महाराष्ट्र MAHARASHTRA
- 5 JAN 2024
M

2023


82AA 894159

अ नं 35M दि 28/09/2022
Trustee Chairman
Siddhanath Foundation Charitable Trust वा. पां. धरपूर
Pandharpur.
Dr. Rujuta Narayan Utpat
Dr. Sanjay Deshmukh

किल

Dr. Rujuta Narayan Utpat

Dr. Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur



Dr. Rujuta Narayan Utpat
Manoday Hospital, Manorugnalay & Vyasani
Mukti kendra, Pandharpur

Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

New hereinafter called as an MOU for association of Siddhanath Foundation
charitable Trust, Pandharpur here after called as Lifeline Institute of Nursing,
Pandharpur of the part with Manoday Hospital, Manorugnalay & Vyasani Mukti

Noted and Registered
29 JAN 2024
Serial No. 193

Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Kendra, Pandharpur registered under societis registration Act and the Bombaay pubic trusts Act and I registered office pandharpur.

Run and maintain hospital in the Lifeline Institute, pandharpur hereafter called as THE HOSPITAL of the second part, for service attachment of the B.Sc nursing Education institute to, Siddhanath Foundetion Charitable Trust, pandharpur of nursing pane. Whereas students of the said Nursing embracing all the speciation and the branches including nursing institutionary required to take specialized training and learning experience in clinical nursing embracing all the speculating and the branches including Training in operation theater and intensive care nursing during 4 year course of nursing education programmed And whereas the side truest has approach Lifeline Institute, Pandharpur the party Lifeline Institute, Pandharpur

And where the party of the second part of the trust established under the Bombay public charitable trust act and main tens the hospital in name of Lifeline Institute, pandharpur And this hospital in multi-specialty super specialty hospital Having the capacity of _____ beds and having all the in fracture required for the student Of B.Sc Nursing And where the office off The Foundation has been accepted by The Hospital and condition which. Fare mutually understood and agreed between the parties and which the parties here to desire to put in writing.

1. The MOU is excited on the initially for the period of 30 years from the date of commencement of which may extended on mutual consent and agreement.
2. Commencement This MOU shall come into force and be effective form / / provided the foundation gets the recognition of the council form With a period of six month from the date of execution of the MOU. The parties of the first part i.e Siddhanath Foundetion Charitable Trust, Pandharpur
3. Shall send its BSc student for the purpose of training and experience to the hospital of the second part
4. Student to be place /clinical experience
5. Initially the total number of student placed with be divided in 4 batches and the number may increase in the succeeding year

Chopra
Principal
Lifeline Institute of
Pandharpur, Dist. Solapur

6. Clinical area

- A) General duty: From Monday to Saturday except during vacation, tests and holiday of the hospital
7. The BSc Nursing (BSc) syllabus is designed to provide to students with knowledge of advanced nursing candidates can brush up on their medical abilities both surgical and non-surgical throughout this course it aims to improve professional nursing competencies critical thinking skills competencies and standards The Basic BSc Nursing program is a two-year undergraduate program designed to improve the personal and professional scope of work in the nursing industry
8. The entire student in every wards and OPD would be accompanied by their supervisors on the wards for guiding teaching and demonstrating nursing procedures to the student.
9. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the foundation
10. Rotation of the students will be planned in consultation with the nursing service Department of the hospital i.e Matron of the Hospital
11. Inspection :the authorities appointed by Government for the purpose of inspection for clinic specialties for theNursing programmed as under as under
- A) Maharashtra University of Health Science (MUHS)
- B) Maharashtra state Board of Nursing & paramedical Education
Mumbai
- C) India Nursing Council New Delhi
- D) Government of Maharashtra Mumbai (DR/MEDD)
12. The demographic data of the required to finish at the time of inspection
13. Consideration

For their purpose of making the hospital available for training to be the student and for providing clinical facilities to the Siddhanath Foundation Charitable Trust, Pandharpur

It is here by understood between the parties that the foundation shall pay a consideration amount of Rs. 100/- per month per student during their clinical experience. The amount shall be paid by the Siddhanath


Chopade
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur

Foundation Charitable Trust, Pandharpur by the chequer drawn in favor of Lifeline Institute, Pandharpur on or before the 10th of the every month .

14. Termination :-

In case this MOU not viable to the parties here to for any reasons what so ever the party shall liberty to termination this MOU by giving one month notice in advance to the other party.

In case any damage or loss to the Hospital through any students the foundation will legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case any dispute the parties the same will be subject to jurisdiction of pandharpur court.

C. S. Upat R.N.

Dr. Rujuta Narayan Utpat
Manoday Hospital, Manorugnalay & Vyasani
Mukti kendra, Pandharpur

S. Sanjay


Dr Sanjay Deshmukh
Siddhanath Foundation
charitable Trust, Pandharpur

Signed in witness: *Ajay Ayare*
Date: *29/01/2024*
Place: *Pandharpur*

Signature

Ajay A.V.


Shri. *Ashwini Narayan*
Utpat R/o. *Pandharpur*
Sign./I. before me and identified
by Shri. *Ajay Ayare*
R/o. *Pandharpur*



NCL

NARAYAN C. LAD
Advocate & Notary

R/o. 2484 Darshan Mandap Road,
Pandharpur-413 304.
Dist. Solapur (Maha).



Chopra
Principal
Lifeline Institute of Nursing
Pandharpur, Dist. Solapur.